

CoFC

A circular stamp from the Office of Intellectual Property (OIPE). The text "OIPE" is at the top, "APR 06 2007" is in the center, and "PATENT &amp; TRADEMARK OFFICE" is at the bottom.

In re Patent of:

)  
: Examiner: C.M. Raabe

)  
: Art Unit: 2879

$$\begin{array}{c} ) \\ : \end{array}$$
$$\begin{matrix} ) \\ : \\ \bullet \end{matrix}$$

APR 16 2007

) :

$$\begin{array}{c} \cdot \\ ) \\ \cdot \end{array}$$
$$\begin{array}{c} \cdot \\ ) \\ \cdot \end{array}$$

April 5, 2007

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

The following minor errors have been noted in the above-mentioned patent:

Line 51, “cross sectional” should read --cross-sectional--.

Line 60, “cross sectional” should read --cross-sectional--.

COLUMN 8:

Line 8, "is" should read --be--; and  
Line 14, "is easy to" should read --can easily--.

COLUMN 9:

Line 7, "is" should read --be--; and  
Line 33, "is" should read --be--.

COLUMN 11:

Line 31, "was" should read --was on--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Frank A. DeLucia  
Attorney for Patentee  
Registration No. 42,476

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200